



TEXAS MEDICAID
Clinical Edit Prior Authorization
Opioid Policy
Fentanyl Agents: buccal fentanyl citrate (FENTORA)

STEP 1: CLEARLY PRINT AND COMPLETE TO EXPEDITE PROCESSING	
Date:	Prescriber First & Last Name:
Patient First & Last Name:	Prescriber NPI:
Patient Address:	Prescriber Address:
Patient ID:	Prescriber Phone:
Patient Date of Birth:	Prescriber Fax:
STEP 2: MEDICATION INFORMATION	
Medication Requested (Name):	Quantity Requested:
Dose Requested:	Dosing Instructions:
Patient's Primary Diagnosis: _____ ICD 10 Code: _____	
Please indicate ONE (1) of the following: <input type="checkbox"/> STAR / STAR KIDS client (Go to Step 3 - PDL PA Criteria Applies) OR <input type="checkbox"/> CHIP / PERINATE client (Go to Step 4)	
STEP 3: PDL PRIOR AUTHORIZATION CRITERIA FOR NON-PREFERRED PRODUCT	
1. Has the client failed a 6-day treatment trial with at least 1 preferred agent in the last 180 days? <input type="checkbox"/> Yes (Go to Step 4 Question 1) <input type="checkbox"/> No (Go to #2)	
2. Is there a documented allergy or contraindication to preferred agents in this class? <input type="checkbox"/> Yes (Go to Step 4 Question 1) <input type="checkbox"/> No (Go to #3)	
3. Is the drug necessary for treatment of stage-4 advanced metastatic cancer and associated conditions? <input type="checkbox"/> Yes (Go to Step 4 Question 1) <input type="checkbox"/> No (Deny)	



STEP 4: OPIOID POLICY CRITERIA

1. Does the client have a diagnosis of ONE (1) of the following in the last 365 days?

- Sickle cell
 - Palliative care
 - Cancer
 - Hospice care
- Yes (Go to Step 5 Question 1) No (Go to #2)

2. Does the client have a total of less than or equal to (\leq) 7 days supply of opiates in the last 60 days?

- Yes (Go to #3) No (Go to #6)

3. Is the days supply of the requested medication greater than ($>$) 10 days?

- Yes (Deny) No (Go to #4)

4. Is the request for a long-acting opioid agent?

- Yes (Deny) No (Go to #5)

5. Is the incoming request greater than ($>$) 90 morphine milligram equivalents (MME)?

- Yes (Deny) No (Go to Step 5 Question 1)

6. Does the client's total opiate intake exceed 90 morphine milligram equivalents (MME) per day?

- Yes (Deny) No (Go to Step 5 Question 1)

STEP 5: CLINICAL PRIOR AUTHORIZATION CRITERIA

1. Is the client greater than or equal to (\geq) 18 years of age?

- Yes (Go to #2) No (Deny)

2. Does the client have a diagnosis of malignant cancer in the last 730 days?

- Yes (Go to #4) No (Go to #3)

3. Does the client have a history of an antineoplastic agent in the last 365 days?

- Yes (Go to #4) No (Deny)



<p>4. Does the client have a claim for a monoamine oxidase inhibitor (MAOI) or CYP3A4 inhibitor in the last 30 days?</p> <p>Examples of MAOIs include AZILECT, linezolid (ZYVOX), MARPLAN, phenelzine (NARDIL), selegiline (EMSAM, ZELAPAR), and tranylcypromine (PARNATE).</p> <p>Examples of CYP3A4 inhibitors include aprepitant (EMEND), AKYNZEO, BUNAVAIL/SUBOXONE, clarithromycin, COPIKTRA, CRESEMBA, diltiazem (CARDIZEM, CARDIZEM CD, CARTIA XT, DILT XR, MATZIM LA, TAZTIA XT, TIAZAC ER), erythromycin, fluconazole (DIFLUCAN), GLEEVEC, itraconazole (SPORANOX, TOLSURA), KETEK, ketoconazole, KISQALI, KORLYM, MULTAQ, nefazodone, NOXAFIL, PREVYMIS, TASIGNA, TECHNIVIE, verapamil (CALAN, VERELAN), VICTRELIS, VIEKIRA, voriconazole (VFEND), ZYDELIG, and certain HIV treatments (e.g. atazanavir (REYATAZ), CRIVIVAN, EVOTAZ, GENVOYA, INVIRASE, KALETRA, fosamprenavir (LEXIVA), PREZCOBIX, PREZISTA, ritonavir (NORVIR), VIRACEPT, STRIBILD, SYMTUZA, TYBOST, and VIRACEPT).</p> <p><input type="checkbox"/> Yes (Deny) <input type="checkbox"/> No (Go to #5)</p>
<p>5. Does the client have at least 12 days supply of opioid therapy in the last 14 days?</p> <p><input type="checkbox"/> Yes (Go to #6) <input type="checkbox"/> No (Deny)</p>
<p>6. Does the client have a history of buccal fentanyl in the last 35 days?</p> <p><input type="checkbox"/> Yes (Go to #13) <input type="checkbox"/> No (Go to #7)</p>
<p>7. Does the client have a history of opioid tolerance with defined oral morphine, transdermal fentanyl, oxycodone, hydromorphone, OR oxymorphone therapy in the last 30 days?</p> <p><input type="checkbox"/> Yes (Go to #8) <input type="checkbox"/> No (Deny)</p>
<p>8. Is the request for buccal fentanyl (FENTORA) 100mcg?</p> <p><input type="checkbox"/> Yes (Go to #13) <input type="checkbox"/> No (Go to #9)</p>
<p>9. Is the request for buccal fentanyl (FENTORA) 200mcg?</p> <p><input type="checkbox"/> Yes (Go to #10) <input type="checkbox"/> No (Go to #11)</p>
<p>10. Does the client have a claim for ACTIQ 600, 800, 1200 or 1600mcg in the last 35 days?</p> <p><input type="checkbox"/> Yes (Go to #13) <input type="checkbox"/> No (Deny)</p>
<p>11. Is the request for buccal fentanyl (FENTORA) 400mcg?</p> <p><input type="checkbox"/> Yes (Go to #12) <input type="checkbox"/> No (Deny)</p>



12. Does the client have a history of ACTIQ 1200 or 1600mcg in the last 35 days?

Yes (Go to #13)

No (Deny)

13. Is the request for less than or equal to (\leq) 4 units/day?

Yes (Go to #14)

No (Deny)

14. Does the client have a total of less than or equal to (\leq) 7 days supply of opiates in the last 60 days?

Yes (Approve – 1 x for incoming prescription) (opioid naïve)

No (Approve – 180 days) (opioid experienced)

STEP 6: SIGN AND FAX TO: NAVITUS PRIOR AUTHORIZATION AT: 855-668-8553

Prescriber Signature: _____ **Date:** _____

If criteria not met, submit chart documentation with form citing complex medical circumstances.
For questions, please call Navitus Customer Care at 1-877-908-6023.