

Texas Prior Authorization Program Clinical Criteria

Drug/Drug Class

Doxylamine/Pyridoxine

This criteria was recommended for review by an MCO to ensure appropriate and safe utilization

Clinical Information Included in this Document

- **Drugs requiring prior authorization:** the list of drugs requiring prior authorization for this clinical criteria
- **Prior authorization criteria logic:** a description of how the prior authorization request will be evaluated against the clinical criteria rules
- **Logic diagram:** a visual depiction of the clinical criteria logic
- **Supporting tables:** a collection of information associated with the steps within the criteria (diagnosis codes, procedure codes, and therapy codes); provided when applicable
- **References:** clinical publications and sources relevant to this clinical criteria

Note: Click the hyperlink to navigate directly to that section.

Revision Notes

Updated with DUR Board recommendations



Doxylamine/Pyridoxine

Drugs Requiring Prior Authorization

The listed GCNS may not be an indication of TX Medicaid Formulary coverage. To learn the current formulary coverage, visit TxVendorDrug.com/formulary/formulary-search.

| Drugs Requiring Prior Authorization | |
|-------------------------------------|-------|
| Label Name | GCN |
| BONJESTA ER 20-20MG TABLET | 42645 |
| DICLEGIS DR 10-10MG TABLET | 73860 |



Doxylamine/Pyridoxine

Clinical Criteria Logic

1. Does the client have a diagnosis of **nausea and vomiting associated with pregnancy** in the last 180 days?
 - Yes (Go to #2)
 - No (Deny)


2. Is the request for less than or equal to (\leq) 2 tablets per day?
 - Yes (Approve – 180 days)
 - No (And the request is for Bonjesta, deny)
 - No (And the request is for Diclegis, go to #3)

3. Is the request for less than or equal to (\leq) 4 tablets per day?
 - Yes (Approve – 180 days)
 - No (Deny)



Doxylamine/Pyridoxine

Clinical Criteria Logic Diagram





Doxylamine/Pyridoxine

Clinical Criteria Supporting Tables

| Step 2 (diagnosis of n/v associated with pregnancy) | |
|--|---|
| Required diagnosis: 1 | |
| Look back timeframe: 180 days | |
| ICD-10 Code | Description |
| O210 | MILD HYPEREMESIS GRAVIDARUM |
| O211 | HYPEREMESIS GRAVIDARUM WITH METABOLIC DISTURBANCE |
| O212 | LATE VOMITING OF PREGNANCY |
| O218 | OTHER VOMITING COMPLICATING PREGNANCY |
| O219 | VOMITING OF PREGNANCY, UNSPECIFIED |



Doxylamine/Pyridoxine

Clinical Criteria References

1. 2019 ICD-10-CM Diagnosis Codes. 2019. Available at www.icd10data.com. Accessed on October 25, 2019.
2. Clinical Pharmacology [online database]. Tampa, FL: Elsevier/Gold Standard, Inc.; 2019. Available at www.clinicalpharmacology.com. Accessed on October 25, 2019.
3. Micromedex [online database]. Available at www.micromedexsolutions.com. Accessed on October 25, 2019.
4. Bonjesta Prescribing Information. Bryn Mawr, PA. Duchesnay USA, Inc. June 2018.
5. Diclegis Prescribing Information. Bryn Mawr, PA. Duchesnay USA, Inc. June 2018.
6. Committee on Practice Bulletins-Obstetrics. ACOG Practice Bulletin No. 189: Nausea and Vomiting of Pregnancy. Obstet Gynecol 2018;131:e15.
7. Smith JA, Fox KA, Clark S. Treatment and Outcome of Nausea and Vomiting of Pregnancy. In CJ Lockwood (Ed.), UpToDate. August 2019.

Publication History

The Publication History records the publication iterations and revisions to this document. Notes for the *most current revision* are also provided in the **Revision Notes** on the first page of this document.

| Publication Date | Notes |
|------------------|---|
| 10/25/2019 | <ul style="list-style-type: none">Initial publication and presentation to the DUR Board |
| 10/29/2019 | <ul style="list-style-type: none">Updated with DUR Board recommendations |